



2308/J/230/CO boleto

design emiliana martinelli, 2019

Outdoor lamp indirect light for LED light source. Corten painted aluminium structure. Three size tige with base for to fix on the ground. Remote driver.

Available peg for the ground fixing (cod. 40166)

2308/J/230/CO boleto

family:	boleto	Body Color:	
Designers:	Emiliana Martinelli	Diffuser Color:	
Utilization:	external	Body Materials:	aluminium
Typology:	outdoor floor lamps	Diffuser Materials:	opal polycarbonate
Certifications:			
Market:	This item is available in the following countries: EUROPE		

Dimensions

Width:	-
Height:	35 cm
Length:	-
Depth:	-
Diameter:	14 cm

Hole Diameter:	-
Hole Depth:	-
Net weight:	3,4 Kg

Light Source

Watt:	10W
Lumen:	1340 lm
Light Source:	led
CRI:	>90
duration:	50000
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	indirect	Power cable length:	-	Driver:	-
Power:	5W	Steel cable length:	-	Power supply assembly:	-
Light output:	149lm	Glow Wire Test:	-	Power supply:	-
Beam angle:	-	Impact Resistance:	-	Type of dimming:	-
				Voltage:	230V

Accessories



30W driver



150W driver



Box with 30W driver




Box with 150W driver



Peg

technical drawing




Dimensions

Width: -
 Height: 35 cm
 Length: -
 Depth: -
 Diameter: 14 cm


Hole Diameter: -
 Hole Depth: -
 Net weight: 3,4 Kg

photometrics data



5W 2700K LED

h (m)	Ø	Em (lux)
h1	1.5/3.3	9
h2	3.0/6.6	2
h3	4.5/9.8	1
h4	6.1/13.1	1
h5	7.6/16.4	0



5W 2700K LED

h (m)	Ø	Em (lux)
h1	1.5/3.3	9
h2	3.0/6.6	2
h3	4.5/9.8	1
h4	6.1/13.1	1
h5	7.6/16.4	0



boleto 2308/J/230/CO
design emiliana martinelli, 2019

