



## 2057/J/DIM/L/1/BI circular pol

design emiliana martinelli, 2009

Hanging lamp diffused light, hanged by steel cables. Structure in white polyethylene material rotational moulded. LED light source and electronic drivers dimmable Push/Dali.

### 2057/J/DIM/L/1/BI circular pol

family:	circular pol	Body Color:	<input type="radio"/>
Designers:	Emiliana Martinelli	Diffuser Color:	<input type="radio"/>
Utilization:	indoor	Body Materials:	aluminium
Typology:	pendant	Diffuser Materials:	polyethylene
Certifications:			
Market:	This item is available in the following countries: EUROPE		

#### Dimensions

Width:	-
Height:	14 cm
Length:	-
Depth:	-
Diameter:	90 cm

Hole Diameter:	-
Hole Depth:	-
Net weight:	8 Kg


#### Light Source

Watt:	60W
Lumen:	6750 lm
Light Source:	led
CRI:	>90
duration:	50000
CCT:	3000K
Energy degree:	A++

#### Device Specifications

Type of emission:	diffused	Power cable length:	400 cm	Driver:	included
Power:	56W	Steel cable length:	350 cm	Power supply assembly:	internal
Light output:	6683lm	Glow Wire Test:	-	Power supply:	electronic dimmable power supply
Beam angle:	-	Impact Resistance:	-	Type of dimming:	push/dali
				Voltage:	230V

technical drawing




Dimensions

Width: -  
 Height: 14 cm  
 Length: -  
 Depth: -  
 Diameter: 90 cm


Hole Diameter: -  
 Hole Depth: -  
 Net weight: 8 Kg

photometrics data



84W 3000K LED


h (m)	Ø	Em (lux)
h1	3.8/3.9	394
h2	7.6/7.8	98
h3	11.4/11.7	44
h4	15.2/15.7	25
h5	19.0/19.6	16




56W 3000K LED

h (m)	Ø	Em (lux)
h1	5.1/5.1	152
h2	10.1/10.2	38
h3	15.2/15.2	17
h4	20.2/20.3	10
h5	25.3/25.4	6

2057/XS/DIM/L/1/BI CIRCULAR POL    30W 3000K LED



$I_{max}$  196 cd/klm     $\alpha$  133°     $\beta$  133°





**circular pol 2057/J/DIM/L/1/BI**  
design emiliana martinelli, 2009

