



40053/2700/BI mamba

design emiliana martinelli, 2018

CURVO MODULE with a 90° angle to create a modular system with diffused light suspension or ceiling.

The system is composed by curved (code **40053** - 40020 - 40021) and linear (code 40022) modules, rotational moulded, white polyethylene material. The combination of modules, through aluminium joints (40026/BI intermediate joint with cable - 40027/BI terminal joint with cable or 40047/BI intermediate joint with support to fix to the ceiling - 40048/BI terminal joint with support to fix to the ceiling), allows you to create linear paths, sinuous or circular paths of Ø 95cm (3 curved modules 40021/BI) and Ø 180cm (6 curved modules 40020/BI). LED light source integrated, Drivers inserted into the ceiling stud (code 40025/BI) or into the false ceiling. Dimmable Push/Dali, triac 5 wires, 0-10V and 1-10V.

Awards:
iF Design Award 2019



2019

40053/2700/BI mamba

family:	mamba	Body Colour:	<input type="radio"/>
Designers:	Emiliana Martinelli	Diffuser Colour:	<input type="radio"/>
Utilization:	indoor	Body Materials:	aluminium
Typology:	pendant	Diffuser Materials:	polyethylene
Certifications:			
Market:	This item is available in the following countries: EUROPE		

Dimensions

Width:	-	Hole Diameter:	-
Height:	10 cm	Hole Depth:	-
Length:	35 cm	Net weight:	1,5 Kg
Depth:	-		
Diameter:	-		

Light Source

Watt:	12,5W
Lumen:	3000 lm
Light Source:	led
Energy degree:	A++


Device Specifications

Type of emission:	diffused	Power supply length:	-	Driver:	not included
Power:	12W	Steel cable length:	2,5 cm	Power supply assembly:	external
Light output:	1090lm	Glow Wire Test:	-	Power supply:	-
Beam angle:	-	Impact Resistance:	-	Type of dimming:	-
				Voltage:	24V

Accessories



photometrics data





mamba 40053/2700/BI
design emiliana martinelli, 2018

