



2217/POL/P/BT/L biconica pol

design emiliana martinelli, 2011

Thanks to Tunable White LED (dynamic white) technology, the Biconica Pol lamp can reproduce the entire arc of natural daytime light since it allows for modulating the color temperature of the LED light sources. Using the Casambi app, users can "tune" the color of white as needed or desired to values between 2400 K and 6500 K to valorize even the most minute shadings and improve the quality of perception to achieve high-quality color yield (Ra 90) without altering the colors. The lighting control app makes it possible to quickly and precisely set and modulate the color from Android or Apple smartphones or tablets.

Standing lamp, diffused light, for outdoor use. Structure in rotomolded white polyethylene material.

White or RGB LED light source. Complete with dimmable power adapters with cable and plug for outdoor use. Protection rating: IP65.

2217/POL/P/BT/L biconica pol

family:	biconica pol	Diffuser Color:	<input type="radio"/>
Designers:	Emiliana Martinelli	Diffuser Materials:	polyethylene
Utilization:	external		
Typology:	outdoor floor lamps		
Certifications:			
Market:	This item is available in the following countries: EUROPE		

Dimensions

Width:	-	Hole Diameter:	-
Height:	195 cm	Hole Depth:	-
Length:	-	Net weight:	15 Kg
Depth:	-		
Diameter:	-		

Light Source

Watt:	105W
Lumen:	1560 lm
Light Source:	rgb led
CRI:	>80
duration:	50000
CCT:	2400 - 6500K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	50+250 cm	Driver:	included
Power:	-	Steel cable length:	-	Power supply assembly:	internal
Light output:	-	Glow Wire Test:	-	Power supply:	electronic dimmable power supply
Beam angle:	-	Impact Resistance:	-	Type of dimming:	bluetooth
				Voltage:	230V



Dimensions

Width: -

Height: 195 cm

Length: -

Depth: -

Diameter: -

Hole Diameter: -

Hole Depth: -

Net weight: 15 Kg



biconica pol 2217/POL/P/BT/L
design emiliana martinelli, 2011



